UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/579,442	05/15/2006	Masatada Numano	050395-0373	7856
	7590 11/03/200 `WILL & EMERY LL	EXAMINER		
600 13TH STREET, N.W.			KERNS, KEVIN P	
WASHINGTON, DC 20005-3096			ART UNIT	PAPER NUMBER
			1793	
			MAIL DATE	DELIVERY MODE
			11/03/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)				
Office Action Summary	10/579,442	NUMANO ET AL.				
Office Action Summary	Examiner	Art Unit				
	Kevin P. Kerns	1793				
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address				
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 16(a). In no event, however, may a reply be tin rill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).				
Status						
1)⊠ Responsive to communication(s) filed on <u>25 Ju</u>	lv 2008.					
• • • • • • • • • • • • • • • • • • • •	action is non-final.					
	/ 					
closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims						
4)⊠ Claim(s) <u>1-14</u> is/are pending in the application.						
	4a) Of the above claim(s) <u>10-14</u> is/are withdrawn from consideration.					
5) Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>1-9</u> is/are rejected.	·					
7)⊠ Claim(s) <u>6</u> is/are objected to.						
	8) Claim(s) are subject to restriction and/or election requirement.					
Application Papers						
9) The specification is objected to by the Examiner.						
10)⊠ The drawing(s) filed on <u>15 May 2006</u> is/are: a) accepted or b)⊠ objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
	animer. Note the attached Office	Action of 101111 10-132.				
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).						
a) ☐ All b) ☐ Some * c) ☐ None of:						
 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 						
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage						
application from the International Bureau (PCT Rule 17.2(a)).						
* See the attached detailed Office action for a list of the certified copies not received.						
occurre attached detailed Office action for a list of the certified copies not received.						
Attachment(s)						
1) Notice of References Cited (PTO-892) 4) Interview Summary (PTO-413) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) Paper No(s)/Mail Date						
3) Information Disclosure Statement(s) (PTO/SB/08) 5) Notice of Informal Patent Application						
Paper No(s)/Mail Date 6) Other:						

Application/Control Number: 10/579,442 Page 2

Art Unit: 1793

DETAILED ACTION

Election/Restrictions

1. Applicants' election of Group I (claims 1-9) in the reply filed on July 25, 2008 is acknowledged. Because applicants did not distinctly and specifically point out the supposed errors in the restriction requirement, the election has been treated as an election without traverse (MPEP § 818.03(a)).

Drawings

2. The drawings are objected to as failing to comply with 37 CFR 1.84(p)(5) because they include the following reference character(s) not mentioned in the description: "13A" (Figure 3A); "13B" (Figure 3B); "13C" and "52" (Figure 3C).

Corrected drawing sheets in compliance with 37 CFR 1.121(d), or amendment to the specification to add the reference character(s) in the description in compliance with 37 CFR 1.121(b) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. Each drawing sheet submitted after the filling date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Application/Control Number: 10/579,442 Page 3

Art Unit: 1793

Specification

3. The disclosure is objected to because of the following informalities: in the last line of paragraph [0010], replace "MP" with "MPa". Appropriate correction is required.

Claim Objections

4. Claim 6 is objected to because of the following informalities: in the last line, it is believed that "0.2" should be changed to "16.7" to be consistent with the corresponding "(highly) heat-conductivity" of independent claim 1. Appropriate correction is required.

Claim Rejections - 35 USC § 103

- 5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 6. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

Art Unit: 1793

7. Claims 1-9 are rejected under 35 U.S.C. 103(a) as being unpatentable over Li et al. (US 6,173,755) in view of JP 5-318040 (cited in applicants' IDS dated 5/15/06).

Regarding claims 1, 2, and 7-9, Li et al. disclose a casting nozzle having multiple layers of differing materials (see column 2, lines 50-67; column 3, lines 1-67; column 4, lines 1-11 and 44-67; column 5, lines 1-20 and 54-67; column 6, lines 1-67; Example 1; and Figures 1, 5, and 9), in which the casting nozzle (20,120) supplies molten metal 40 (aluminum or aluminum alloys) from a tundish (container 11,111) to a movable mold (multiple pairs of rolls 134 and continuous belts 112 in the continuous casting apparatus 110 of Figure 9, or alternatively, with roll casters – column 6, lines 66-67), in which the nozzle (20,120) is fixed to the tundish (11,111) that stores molten metal 40, such that the tip of the casting nozzle (20,120) includes multiple layers of differing materials that comprise resilient insulating layers (26,126) that are elastic and thermally insulating, such as PYROTEK (which has a heat conductivity of 0.19-0.26 W/mK, and less than 0.2 W/mK at temperatures below 500 C – as set forth in the material data sheets referenced by the applicants on page 6 of the remarks section of the amendment dated March 12, 2008) and a layer of (highly heat conductive carbon) graphite (27,127) in the form of a flexible (elastic) foil having a thickness of 0.01 inch (0.254 mm) at the casting nozzle tip portion 24 (Figure 5).

Regarding claims 2-4, the casting nozzle tip portion 24 arranged on the movable mold side (in this instance, graphite layer (27,127) of 1.8 g/cm3, as cited in Table I on page 27 of the applicants' specification – see paragraph [0039]) is a high density layer

Art Unit: 1793

of >0.7 g/cm3, and has a high strength layer (graphite layer (27,127) of 25.5 MPa in Table I) of tensile strength of >10 MPa.

Regarding claims 2, 5, and 6, the casting nozzle tip portion 24 arranged on the movable mold side (graphite layer (27,127)) has a highly elastic layer of elastic modulus of >5,000 MPa (Table I recites that graphite has a value of 9,800 MPa), and has a highly heat-conductive layer having a heat conductivity of >0.2 W/mK (should be 16.7 W/mK? – see above claim 6 objection) – Table I recites that graphite has a significantly higher value of 120 W/mK.

Li et al. do not disclose that the high heat-conductive layer (>16.7 W/mK) is arranged on the molten/liquid (metal) side of the nozzle and deformability of the elastic layer of the casting nozzle tip upon making close contact with the movable mold.

However, JP 5-318040 discloses a device (nozzle) for sealing molten metal on a cooling casting roll 14 (abstract; and Figures 1-3), in which the nozzle includes a (elastic) ceramic fiber felt layer 20 (low heat conductivity) and a metal strip 30 (high heat conductivity of >16.7 W/mK, including Mo of 142 W/mK, SUS 304 steel (paragraph [0018]), and SUS 316 steel of 16.7 W/mK) interposed between the (elastic) ceramic fiber felt layer 20 and cooling roll 14 (molten/liquid metal side of the nozzle) so that the tip portion of the nozzle retreats (elastically deforms) by 1-5 mm for the tip part of the pouring nozzle, for the purpose of preventing leakage of molten metal and preventing formation of defects in the cast product of a continuous casting process (abstract).

It would have been obvious to one of ordinary skill in the art at the time the applicants' invention was made to modify the casting nozzle having multiple layers of

Application/Control Number: 10/579,442 Page 6

Art Unit: 1793

differing materials, as disclosed by Li et al., by using the multiple layer nozzle having a high heat-conductive layer on the molten/liquid metal side of the nozzle and deformability of the elastic layer of the casting nozzle tip upon making close contact with the movable mold, as taught by JP 5-318040, in order to prevent leakage of molten metal and to prevent formation of defects in the cast product of a continuous casting process (JP 5-318040; abstract).

Response to Arguments

- 8. The examiner acknowledges the applicants' after final amendment entered upon filing of the request for continued examination, which were received by the USPTO on March 12, 2008 and April 8, 2008, respectively. Upon review, new objections to the drawings, specification, and claim 6 are raised in above sections 2-4. Claims 10-14 are withdrawn from consideration as drawn to non-elected claims (also see above section 1). Claims 1-9 are currently under consideration in the application.
- 9. Applicants' arguments with respect to claims 1-9 have been considered but are moot in view of the new ground(s) of rejection.

With regard to the applicants' remarks/arguments on pages 5-7 of the after final amendment dated March 12, 2008, it is noted that the applicants' remarks/arguments overcome the 35 USC 103(a) rejections based on the Nanba et al. and Fiel et al. references. However, the above combination of Li et al. and JP 5-318040 (new grounds of rejection) render all of claims 1-9 as obvious under 35 USC 103(a).

Art Unit: 1793

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Dr. Kevin P. Kerns whose telephone number is (571)272-1178. The examiner can normally be reached on Monday-Friday from 8:00am-5:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jessica Ward can be reached on (571) 272-1223. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Kevin P. Kerns Primary Examiner Art Unit 1793

/Kevin P. Kerns/ Primary Examiner, Art Unit 1793 October 27, 2008